参考文献（Reference）

[1] Yu W J, Zhang M J. A Mixed Particle Swarm Optimization Algorithm's Application in Image/Video Super-Resolution Reconstruction[C]// 2nd International Conference on Image, Vision and Computing,2017:526-530.

[2] ZHAO S R , LYU Z H, LIANG H,*et al*. A Mixed Non-local Prior Model for Image Super-resolution Reconstruc- tion[J]. Chinese Journal of Electronics , 2017,26(4): 778-783.

[3] HUANG S Y, ,SUN J, YANG Y,*et al*. Multi-Frame Super- Resolution Reconstruction Based on Gradient Vector Flow Hybrid Field[J]. IEEE Access,2017,5: 21669-21683.

[4] Wei D Y.Image super-resolution reconstruction using the high-order derivative interpolation associated with fractional filter functions[J] .IET Signal Processing，2016, 10(9):1052-1061.

[5] Chen H H , Jiang B L，Liu C，et al. Image super-resolution reconstruction based on residual error [J]. Journal of Image and Graphics, 2013，18(1)：42—48.[陈华华，姜宝秋，刘超等．基于残差的图像超分辨率重建[J]．中国图象图形学报，2013，18(1)：42—48].

[6] J. Yang, Z. Wang, and T. Huang. Coupled dictionary training for image super-resolution [J]. IEEE Trans. Image Process,2012, 21(8):3467–3478.

[7] YANG J C,Wright J,Thomas H,*et al*. Image super-resolution via sparse representation [J]. IEEE Transactions on Image Processing*(S1057-7149)* ，2010，19(11)：2861-2873.

[8] X Zhu, L Liu, X X Wang. Super-resolution Reconstruction via Multiple Sparse Dictionary Combined with Sparse Coding[C]. Proceedings of the IEEE International Conference on Information and Automation Ningbo, China, August 2016，1720-1725.

[9] W M Yang ， T Yuan ， W Wang,*et al* , Single-Image Super Resolution by Subdictionary Coding and Kernel Regression[J]. IEEE Transactions on Systems Man & Cybernetics Systems.Vol: 47 No: 9, pp: 2478-2488 SEP 2017.

[10] Zeyde R ,Elad M,Protter M. On Single Image Scale-up using Sparse Representations [C]// Proceedings of the 7th International Conference on Curves and Surfaces，Avignon，France，June 24-30，2012，6920：711-730.

[11] M. Elad. Sparse and Redundant Representations: From Theory to Applications in Signal and Image Processing [M]. Berlin, Germany:Springer-Verlag, 2010.

[12] Alona Golts and Michael Elad, Linearized Kernel Dictionary Learning,IEEE JOURNAL OF SELECTED TOPICS IN SIGNAL PROCESSING, JUNE 2016,10(4):726-739.

[13] O. Bryt and M. Elad, "Compression of facial images using the K-SVD algorithm," J. Vis. Commun. Image Represent, vol. 19, no. 4, pp. 270–282, May 2008.

[14] M K hademloo,,M Rezghi,Integrated single image super resolution based on sparse presentation[C] // Proceedings of the 2015 International Symposium on Artificial Intelligence and Signal Processing Piscataway，NJ：IEEE，2015：192—195．

[15] J. Yang, J. Wright, and Y. Ma. Image super-resolution as sparse representation of raw image patches [C]. IEEE Conf. Comput. Vis. Pattern Recogni, 2008, 1–8.

[16] YANG Jianchao，Wright J，Thomas H,*et al*. Image super-resolution via sparse representation [J]. IEEE Transactions on Image Processing(S1057-7149)，2010，19(11)：2861-2873.

[17] SHI J，WANG X H．Image supe-resolution reconstrunlction based on improved K-SVD dictionary-learning[J]．Acta Electronica Sinica, 2013，4l(5)：997—1000．[史郡，王晓华．基于改进K-SVD字典学习的超分辨率图像重构[J]．电子学报，2013，4l(5)：997—l000．].

[18] Vahid Abolghasemi, Saideh Ferdowsi, and Saeid Sanei SPARSE MULTICHANNEL SOURCE SEPARATION USING INCOHERENT K-SVD METHOD, 2011, IEEE Statistical Signal Processing Workshop (SSP).

[19] WU D,WANG K M,ZHAO X Y *et al*..Stagewise regularized orthogonal matching pursuit algorithm [J].Opt.Precision Eng,2014,22(5):1395-1402[吴迪,王奎民,赵玉新,等.分段正则化正交匹配追踪算法[J].光学精密工程,2014,22(5)：1395-1402.