

and Pattern Recognition (CVPR), 2017: 5744–5752.

[8] Fisher Yu, Vladlen Koltun. Multi-scale context aggregation by dilated convolutions [J]. International Conference on Learning Representations (ICLR), 2016.

[9] B. Ni. Crowd counting via adversarial cross-scale consistency pursuit. [J]. IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2018.

[10] Z. L. Lin and L. S. Davis. Yang. Shape-based human detection and segmentation via hierarchical part-template matching [J]. IEEE Transactions on Pattern Analysis & Machine Intelligence, 2010, 32(4): 604–618.

[11] M. Wang and X. Wang. Automatic adaptation of a generic pedestrian detector to a specific traffic scene [J]. IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2011: 3401–3408.

[12] S. An, W. Liu, and S. Venkatesh. Face recognition using kernel ridge regression [J]. IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2017: 1–7.

[13] K. Chen, C. C. Loy, S. Gong, and T. Xiang. Feature mining for localised crowd counting [J]. Proceedings of the British Machine Vision Conference (BMVC), 2012: pages 21.1–21.11.

[14] A. Bansal and K. S. Venkatesh. People counting in high density crowds from still images [J]. CoRR, abs/1507.08445, 2015: 316–324.

[15] V. A. Sindagi and V. M. Patel. A survey of recent advances in cnn-based single image crowd counting and density estimation [J]. Pattern Recognition Letters, 2017.

[16] C. Wang, H. Zhang, L. Yang, S. Liu, and X. Cao. Deep people counting in extremely dense crowds [J]. ACM International Conference on Multimedia, 2015: 1299–1302.

[17] C. Zhang, H. Li, X. Wang, and X. Yang. Cross-scene crowd counting via deep convolutional neural networks [J]. IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2015: 833–841.

[18] L. Boominathan, S. S. Kruthiventi, and R. V. Babu. Crowdnet: A deep convolutional network for dense crowd counting [J]. ACM International Conference on Multimedia, 2016: 640–644.

[19] V. Lempitsky and A. Zisserman. Learning to count objects in images [J]. International Conference on Neural Information Processing Systems, 2010, 43(3): 1324–1332.

[20] V. A. Sindagi and V. M. Patel. Generating high-quality crowd density maps using contextual pyramid cnns [J]. IEEE International Conference on Computer Vision, 2017: 1861–1870.

[21] A. Radford, L. Metz, and S. Chintala. Unsupervised representation learning with deep convolutional generative adversarial networks. Computer Science, 2015.

[22] Y. Li, S. Liu, J. Yang, and M.-H. Yang. Generative face completion [J]. IEEE Conference on Computer Vision and Pattern Recognition

(CVPR), 2017: 3911–3919.

[23] P. Isola, J.-Y. Zhu, T. Zhou, and A. A. Efros. Image-to-image translation with conditional adversarial networks [J]. IEEE International Conference on Computer Vision, 2016: 1125–1134.

[24] D. Pathak, P. Krahenbuhl, J. Donahue, T. Darrell, and A. A. Efros. Context encoders: Feature learning by in painting [J]. IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2016: 2536–2544.

[25] H. Zhang, V. Sindagi, and V. M. Patel. Image de-raining using a conditional generative adversarial network [J]. IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2017.

[26] Li Y, Zhang X, Chen D. CSRNet: Dilated Convolutional Neural Networks for Understanding the Highly Congested Scenes [J]. IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2018.

[27] H. Idrees, I. Saleemi, C. Seibert, and M. Shah. Multi-source multi-scale counting in extremely dense crowd images [J]. IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2013: 2547–2554.

[28] A. B. Chan, Z.-S. J. Liang, and N. Vasconcelos. Privacy preserving crowd monitoring: Counting people without people models or tracking [J]. IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2008: 1–7.

第一作者简介：



刘思琦，2016年9月获北京交通大学计算机科学与技术专业硕士研究生学位（在读），主要研究方向为人群密度估计、深度学习、机器学习。

E-mail: 16120393@bjtu.edu.cn。

通信作者：



郎从妍，教授，主要研究方向：计算机视觉，互联网大数据分析与挖掘，机器学习。

E-mail: cylang@bjtu.edu.cn。

其他作者简介：

冯松鹤，男，教授，主要研究方向：机器学习与认知计算；
E-mail: shfeng@bjtu.edu.cn。